



PERVIOUS CONCRETE PAVEMENT SECTION

NOTES:

1. Contractor shall submit an appropriate certification indicating adequate training and experience for pervious concrete installations.
2. The pavement system shall be designed and installed in accordance with ACI specifications, or equivalent standard.
3. Operation and Maintenance requirements shall be a condition of approval.
4. NO porous concrete installation are permitted east of S. Virginia Dare Trail (NC 12) and east of S. Old Oregon Inlet Rd. (SR 1243).
5. The pavement section may be substituted when designed by a North Carolina Licensed Professional Engineer.
6. The pavement surface course installation shall be continuous and level .
7. Town Engineering shall be contacted for review and approval of the base layer and nonwoven geotextile fabric layer in advance of the surface course installation.
8. A final inspection shall be conducted by Town Engineering to review for compliance post-installation.
9. Edge restraints shall be constructed along the perimeter of the pavement installation, (see detail 104)



TOWN OF NAGS HEAD
 DEPARTMENT OF ADMINISTRATION
 P.O. BOX 99
 NAGS HEAD, NC 27959
 252.441.7016 • www.nagsheadnc.gov

**TYPICAL RESIDENTIAL POROUS
 CONCRETE INSTALLATION DETAIL**
(REFER TO DETAIL 104 FOR EDGE RESTRAINT OPTIONS)

SCALE: NONE
 ISSUE DATE: 7-9-2015
 REVISION DATE: 1-3-2019
 SHEET NO: 1 OF 1
 DRAWN BY: DMR

DETAIL NO.:
103